

PRODUCT DATA SHEET

Code No.: BIA-T1408

Terrein Pack sizes.: 1mg, 5mg

Synonyms:

(+) Terrein, NSC 291308

Specifications

CAS # : 582-46-7

Molecular Formula : C8H10O3

Molecular Weight : 154.2

Source :-

Appearance : Light tan solid
Purity : >95% by HPLC

Long Term Storage : -20°C

Solubility : Soluble in ethanol, methanol, DMF or DMSO. Limited water solubility.

Application Notes

Terrein is a polar, substituted dihydrocyclopentenone first reported by Raistrick and colleagues in the 1930s and subsequently found in a number of Aspergillus and Penicillium species. For many years the biological profile and mode of action of terrein was unstudied; however, recent research showed that terrein reduces melanin synthesis by reducing tyrosinase production via ERK activation, followed by MITF down-regulation. Terrein also reduces human keratinocyte proliferation by inhibiting ERK and by decreasing the expression of cyclin B1 and Cdc2 complex.

References

- 1. Studies in the biochemistry of micro-organisms: The metabolic products of Aspergillus terreus Thom. A new mould metabolic product, terrein. Raistrick H. & Smith G. Biochem. J. 1935, 29, 606.
- 2. Terrein: a new melanogenesis inhibitor and its mechanism. Park S.H. et al., Cell. Mol. Life Sci. 2004, 61, 2878.
- 3. Terrein inhibits keratinocyte proliferation via ERK inactivation and G2/M cell cycle arrest. Kim D.S. et al., Exp.

Dermatol. 2008, 17, 312.